



```
|>{\columncolor[gray]{.8}[0pt]}1|
>{\color{white}%
\columncolor[gray]{.2}[0pt]}1|
```

one	two
three	four

The default overhang of `\tabcolsep` produces:

```
|>{\columncolor[gray]{.8}}1|
>{\color{white}%
\columncolor[gray]{.2}}1|
```

one	two
three	four

You might want something between these two extremes. A value of `.5\tabcolsep` produces the following effect

```
|>{\columncolor[gray]{.8} [.5\tabcolsep]}1|
>{\color{white}%
\columncolor[gray]{.2} [.5\tabcolsep]}1|
```

one	two
three	four

This package should work with most other packages that are compatible with the `array` package syntax. In particular it works with `longtable` and `dcolumn` as the following example shows.

Before starting give a little space: `\setlength\minrowclearance{2pt}`

A long table example		
First two columns p-type		Third column D-type (dcolumn)
P-column	and another one	12:34
Total	(wrong)	100:6
Some long text in the first column	bbb	1:2
aaa	and some long text in the second column	1:345
Total	(wrong)	100:6
aaa	bbb	1:345
Note that the coloured rules in all columns stretch to accomodate large entries in one column.	bbb	1:345
aaa	bbb	100

Continued...

A long table example (continued)		
First two columns p-type		Third column D-type (dcolumn)
aaa	Depending on your driver you may get unsightly gaps or lines where the 'screens' used to produce different shapes interact badly. You may want to cause adjacent panels of the same colour by specifying a larger overhang or by adding some negative space (in a <code>\noalign</code> between rows.	12·4
aaa	bbb	45·3

**The End**

This example shows rather poor taste but is quite colourful! Inspect the source file, `colortbl.dtx`, to see the full code for the example, but it uses the following column types.

```

\newcolumnntype{A}{%
  >{\color{white}\columncolor{red} [.5\tabcolsep]%
    \raggedright}%
  p{2cm}}
\newcolumnntype{B}{%
  >{\columncolor{blue} [.5\tabcolsep]%
    \color{yellow}\raggedright}
  p{3cm}}
\newcolumnntype{C}{%
  >{\columncolor{yellow} [.5\tabcolsep]}%
  D{.}{\cdot}{3.3}}
\newcolumnntype{E}{%
  >{\large\bfseries
    \columncolor{cyan} [.5\tabcolsep]}c}
\newcolumnntype{F}{%
  >{\color{white}
    \columncolor{magenta} [.5\tabcolsep]}c}
\newcolumnntype{G}{%
  >{\columncolor[gray]{0.8} [.5\tabcolsep] [\tabcolsep]}1}
\newcolumnntype{H}{>{\columncolor[gray]{0.8}}1}
\newcolumnntype{I}{%
  >{\columncolor[gray]{0.8} [\tabcolsep] [.5\tabcolsep]}%
  D{.}{\cdot}{3.3}}

```

### 3 Using the ‘overhang’ arguments for `tabular*`

The above is all very well for `tabular`, but what about `tabular*`?

Here the problem is rather harder. Although TeX’s `\leader` mechanism which is used by this package to insert the ‘stretchy’ coloured panels is rather like *glue*, the `\tabskip` glue that is inserted between columns of `tabular*` (and `longtable` for that matter) has to be ‘real glue’ and not ‘leaders’.

Within limits the overhang options may be used here. Consider the first table example above. If we use `tabular*` set to 3 cm with a preamble setting of

```
\begin{tabular*}{3cm}{%
@{\extracolsep{\fill}}
>{\columncolor[gray]{.8}[0pt][20mm]}1
>{\columncolor[gray]{.8}[5mm][0pt]}1
@{}}
```

one	two
three	four

Changing the specified width to 4 cm works, but don’t push your luck to 5 cm...

one	two	one	two
three	four	three	four

### 4 The `\rowcolor` command

As demonstrated above, one may change the colour of specified rows of a table by the use of `\multicolumn` commands in each entry of the row. However if your table is to be marked principally by *rows*, you may find this rather inconvenient. For this reason a new mechanism, `\rowcolor`, has been introduced<sup>1</sup>.

`\rowcolor` takes the same argument forms as `\columncolor`. It must be used at the *start* of a row. If the optional overhang arguments are not used the overhangs will default to the overhangs specified in any `\columncolor` commands for that column, or `\tabcolsep` (`\arraycolsep` in `array`).

If a table entry is in the scope of a `\columncolor` specified in the table preamble, and also a `\rowcolor` at the start of the current row, the colour specified by `\rowcolor` will take effect. A `\multicolumn` command may contain `>\rowcolor...` which will override the default colours for both the current row and column.

```
\begin{tabular}{|l|c|}
\rowcolor[gray]{.9}
one&two\\
\rowcolor[gray]{.5}
three&four
\end{tabular}
```

one	two
three	four

### 5 The `\cellcolor` command

A background colour can be applied to a single cell of a table by beginning it with `\multicolumn{1}>\rowcolor...`, (or `\columncolor` if no row-colour is in effect) but this has some deficiencies: 1) It prevents data within the cell from triggering the colouration; 2) The alignment specification must be copied

<sup>1</sup>At some cost to the internal complexity of this package

from the top of the tabular, which is prone to errors, especially for `p{}` columns; 3) `\multicolumn{1}` is just silly. Therefore, there is the `\cellcolor` command, which works like `\columncolor` and `\rowcolor`, but over-rides both of them; `\cellcolor` can be placed anywhere in the tabular cell to which it applies.

## 6 Colouring rules.

So you want coloured rules as well?

One could do vertical rules without any special commands, just use something like `!\color{green}\vline` where you'd normally use `|`. The space between `||` will normally be left white. If you want to colour that as well, either increase the overhang of the previous column (to `\tabcolsep + \arrayrulewidth + \doublerulesep`) Or remove the inter rule glue, and replace by a coloured rule of the required thickness. So

```
!\color{green}\vline
@{\color{yellow}\vrule width \doublerulesep}
!\color{green}\vline
```

Should give the same spacing as `||` but more colour.

However colouring `\hline` and `\cline` is a bit more tricky, so extra commands are provided (which then apply to vertical rules as well).

## 7 \arrayrulecolor

`\arrayrulecolor` takes the same arguments as `\color`, and is a global declaration which affects all following horizontal and vertical rules in tables. It may be given outside any table, or at the start of a row, or in a `>` specification in a table preamble. You should note however that if given mid-table it only affects rules that are specified after this point, any vertical rules specified in the preamble will keep their original colours.

## 8 \doublerulesepcolor

Having coloured your rules, you'll probably want something other than white to go in the gaps made by `||` or `\hline\hline`. `\doublerulesepcolor` works just the same way as `\arrayrulecolor`. The main thing to note that if this command is used, then `longtable` will not 'discard' the space between `\hline\hline` at a page break. (T<sub>E</sub>X has a built-in ability to discard space, but the coloured 'space' which is used once `\doublerulesep` is in effect is really a third rule of a different colour to the two outer rules, and rules are rather harder to discard.)


```
\setlength\arrayrulewidth{2pt}\arrayrulecolor{blue}
\setlength\doublerulesep{2pt}\doublerulesepcolor{yellow}
\begin{tabular}{||l|l|c||}
  \hline\hline
  one&two\\
  three&four\\
  \hline\hline
\end{tabular}
```

one	two
three	four

## 9 More fun with \hhline

The above commands work with `\hhline` from the `hhline` package, however if `hhline` is loaded in addition to this package, a new possibility is added. You may use `>{...}` to add declarations that apply to the following - or = column rule. In particular you may give `\arrayrulecolor` and `\doublerulesepcolor` declarations in this argument.

Most manuals of style warn against over use of rules in tables. I hate to think what they would make of the following rainbow example:



```
\newcommand\rainbowline[1]{%
\hhline{%
>\arrayrulecolor {red}\doublerulesepcolor[rgb]{.3,.3,1}}%
|#1:=%
>\arrayrulecolor{orange}\doublerulesepcolor[rgb]{.4,.4,1}}%
=%
>\arrayrulecolor{yellow}\doublerulesepcolor[rgb]{.5,.5,1}}%
=%
>\arrayrulecolor {green}\doublerulesepcolor[rgb]{.6,.6,1}}%
=%
>\arrayrulecolor {blue}\doublerulesepcolor[rgb]{.7,.7,1}}%
=%
>\arrayrulecolor{indigo}\doublerulesepcolor[rgb]{.8,.8,1}}%
=%
>\arrayrulecolor{violet}\doublerulesepcolor[rgb]{.9,.9,1}}%
=:#1|}%
}}
\arrayrulecolor{red}
\doublerulesepcolor[rgb]{.3,.3,1}%
\begin{tabular}{||*7>{\columncolor[gray]{.9}}c|||}
\rainbowline{t}%
\arrayrulecolor{violet}\doublerulesepcolor[rgb]{.9,.9,1}
Richard&of&York&gave&battle&in&
\multicolumn{1}{>{\columncolor[gray]{.9}}c|||}{vain}\
\rainbowline{}%
1&2&3&4&5&6&
\multicolumn{1}{>{\columncolor[gray]{.9}}c|||}{7}\
\rainbowline{b}%
\end{tabular}
```

## 10 Less fun with \cline

Lines produced by `\cline` are coloured if you use `\arrayrulecolor` but you may not notice as they are covered up by any colour pannels in the following row. This

is a ‘feature’ of `\cline`. If using this package you would probably better using the `-rule` type in a `\hhline` argument, rather than `\cline`.

## 11 The `\minrowclearance` command

As this package has to box and measure every entry to figure out how wide to make the rules, I thought I may as well add the following feature. ‘Large’ entries in tables may touch a preceding `\hline` or the top of a colour panel defined by this style. It is best to increase `\extrarowsep` or `\arraystretch` sufficiently to ensure this doesn’t happen, as that will keep the line spacing in the table regular. Sometimes however, you just want to L<sup>A</sup>T<sub>E</sub>X to insert a bit of extra space above a large entry. You can set the length `\minrowclearance` to a small value. (The height of a capital letter plus this value should not be greater than the normal height of table rows, else a very uneven table spacing will result.)

Donald Arseneau’s `tbls` packages provides a similar `\tblinesep`. I was going to give this the same name for compatibility with `tbls`, but that is implemented quite differently and probably has different behaviour. So I’ll keep a new name for now.